




MPPT Solar Controller




Overheating Protection




Short Circuit Protection



Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection




Rs485 Communication



Battery Temperature Protection



Wifi Optional



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-MAX 40A	12V/24V 36V/48V	40A	280*235*110mm	3.5Kg	128V	540W/12V 1080W/24V 1620W/36V 2160W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-MAX 60A	12V/24V 36V/48V	60A	280*235*110mm	3.5Kg	128V	800W/12V 1600W/24V 2400W/36V 3200W/48V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries

MPPT Solar Controller



Overheating Protection




Short Circuit Protection



Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection



Rs485 Communication



Battery Temperature Protection



Wifi Optional



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-MAX 80A	12V/24V 36V/48V	80A	290*310*110mm	6Kg	128V	1080W/12V 2160W/24V 3240W/36V 4320W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-MAX 100A	12V/24V 36V/48V	100A	290*310*110mm	6Kg	128V	1300W/12V 2600W/24V 3900W/36V 5200W/48V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries


MPPT Solar Controller




Overheating Protection




Short Circuit Protection



Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection



Rs485 Communication



Battery Temperature Protection



Wifi Optional



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-MAX 120A	12V/24V 36V/48V	120A	290*310*110mm	6Kg	128V	1560W/12V 3120W/24V 4680W/36V 6240W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery

NOTE: It's the parameter when using lead-acid batteries


MPPT-T Solar Controller




Wifi Optional




Short Circuit Protection




Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection




Overheating Protection



Battery Temperature Protection



High Voltage Surge Protection




Overvoltage protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-T 30A	12V	30A	210*150*80mm	1.45Kg	12-150V	390W/12V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery

MPPT-T Solar Controller




Wifi Optional




Short Circuit Protection




Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection




Overheating Protection



Battery Temperature Protection



High Voltage Surge Protection




Overvoltage protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-T 40A	12V/24V 36V/48V	40A	219*300*110mm	2.94Kg	12-150V	540W/12V 1080W/24V 1620W/36V 2160W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-T 80A	12V/24V 36V/48V	60A	219*300*110mm	2.94Kg	12-150V	800W/12V 1600W/24V 2400W/36V 3200W/48V	CE,ROHS	


MPPT-T Solar Controller




Wifi Optional




Short Circuit Protection




Limit Power Protection




Anti-reverse charge protection




Reverse Connect Protection




Overheating Protection



Battery Temperature Protection



High Voltage Surge Protection




Overvoltage protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-T 80A	12V/24V 36V/48V	80A	275*363*109mm	4.56Kg	12-150V	1080W/12V 2160W/24V 3240W/36V 4320W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-T 100A	12V/24V 36V/48V	100A	275*363*109mm	4.56Kg	12-150V	1300W/12V 2600W/24V 3900W/36V 5200W/48V	CE,ROHS	

MPPT Solar Controller




Overheating Protection



Short Circuit Protection




Limit Power Protection



Anti-reverse charge protection



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery



Over Voltage Protection




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-10A	12V/24V 48V	10A	130*160*50mm	0.55Kg	80V	240W/12V 480W/24V 960W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-20A	12V/24V 48V	20A	130*160*50mm	0.55Kg	80V	240W/12V 480W/24V 960W/48V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries


MPPT Solar Controller



Overheating Protection




Short Circuit Protection




Limit Power Protection



Anti-reverse charge protection



Lead Acid Battery
LiFePo4 Battery
Ternary Lithium Battery



Over Voltage Protection




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-30A	12V/24V 48V	30A	151*192*53mm	0.8Kg	80V	480W/12V 960W/24V 1600W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-40A	12V/24V 48V	40A	151*192*53mm	0.8Kg	80V	480W/12V 960W/24V 1600W/48V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries

MPPT Solar Controller




Overheating Protection




Short Circuit Protection




Limit Power Protection



Anti-reverse charge protection



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery



Over Voltage Protection




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-50A	12V/24V 48V	50A	193*227*68mm	1.11Kg	80V	720W/12V 1440W/24V 2880W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	MPPT-60A	12V/24V 48V	60A	193*227*68mm	1.11Kg	80V	720W/12V 1440W/24V 2880W/48V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries

MPPT Solar Controller




Overheating Protection




Short Circuit Protection




Limit Power Protection



Anti-reverse charge protection



Lead Acid Battery
Lifepo4 Battery
Ternary Lithium Battery



Over Voltage Protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
MPPT SOLAR CONTROLLER	MPPT-80A	12V/24V 48V	80A	193*227*68mm	1.11Kg	80V	960W/12V 1920W/24V 3840W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery

NOTE: It's the parameter when using lead-acid batteries

KDY Solar Controller




WIFI APP



Over Voltage Protection




Overload Protection



Short-Circuit Protection




three-stage charging



Over Temperature Protection



Overcharge Protection




Over Current Protection



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	KDY10A	12V/24V/48V	10A	115*145*57mm	0.34Kg	100V	120W/12V 240W/24V 480W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	KDY20A	12V/24V/48V	20A	115*145*57mm	0.34Kg	100V	240W/12V 480W/24V 960W/48V	CE,ROHS	

KDY Solar Controller




WIFI APP



Over Voltage Protection




Overload Protection



Short-Circuit Protection




three-stage charging



Over Temperature Protection



Overcharge Protection




Over Current Protection



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	KDY30A	12V/24V/48V	30A	135*170*70mm	0.52Kg	100V	360W/12V 720W/24V 1440W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	KDY40A	12V/24V/48V	40A	135*170*70mm	0.52Kg	100V	480W/12V 960W/24V 1920W/48V	CE,ROHS	

KDY Solar Controller




WIFI APP



Over Voltage Protection




Overload Protection



Short-Circuit Protection




three-stage charging



Over Temperature Protection



Overcharge Protection




Over Current Protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	KDY50A	12V/24V/48V	50A	155*197*86mm	0.97Kg	100V	600W/12V 1200W/24V 2400W/48V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	KDY60A	12V/24V/48V	60A	155*197*86mm	0.97Kg	100V	720W/12V 1440W/24V 2880W/48V	CE,ROHS	


JS-B0 Solar Controller




High Performance Chip




Multiple Protection




Automatic Recognition



Light Efficiency Time Control



PWM Charge




Simple Installation




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	JS-B0 10A	12V/24V	10A	133*70*35mm	0.14Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	JS-B0 20A	12V/24V	20A	133*70*35mm	0.14Kg	50V	260W/12V 520W/24V	CE,ROHS	
	JS-B0 30A	12V/24V	30A	133*70*35mm	0.14Kg	50V	390W/12V 780W/24V	CE,ROHS	


YJSS Solar Controller




High Performance Chip




Multiple Protection




Automatic Recognition



Light Efficiency Time Control



PWM Charge




Simple Installation



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	YJSS10A	12V/24V	10A	133*70*35mm	0.14Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery
	YJSS20A	12V/24V	20A	133*70*35mm	0.14Kg	50V	260W/12V 520W/24V	CE,ROHS	
	YJSS30A	12V/24V	30A	133*70*35mm	0.14Kg	50V	390W/12V 780W/24V	CE,ROHS	

YJSS Solar Controller



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	YJSS40A	12V/24V	40A	182*45*90mm	0.3Kg	50V	520W/12V 1040W/24V	CE,ROHS	Lead acid Battery
	YJSS50A	12V/24V	50A	182*45*90mm	0.3Kg	50V	650W/12V 1300W/24V	CE,ROHS	
	YJSS60A	12V/24V	60A	182*45*90mm	0.3Kg	50V	780W/12V 1560W/24V	CE,ROHS	


LS Solar Controller




Over Voltage Protection



Overload Protection



Over Current Protection



Over Temperature Protection



Overcharge Protection



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	LS10A	12V/24V	10A	187*96*47mm	0.31Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery
	LS20A	12V/24V/48V	20A	187*96*47mm	0.31Kg	50V/80v	260W/12V 520W/24V 960W/48V	CE,ROHS	
	LS30A	12V/24V/48V	30A	187*96*47mm	0.31Kg	50V/80v	380W/12V 760W/24V 1440W/48V	CE,ROHS	


LS Solar Controller




Over Voltage
Protection



Overload
Protection



Over Current
Protection



Over Temperature
Protection



Overcharge
Protection



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	LS40A	12V/24V/48V	40A	195*105*50mm	0.57Kg	50V/80V	520W/12V 1040W/24V 1920W/48V	CE,ROHS	Lead acid Battery


LS Solar Controller




Over Voltage Protection



Overload Protection



Over Current Protection



Over Temperature Protection




Overcharge Protection




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	LS50A	12V/24V/48V	50A	187*122*57mm	0.57Kg	50V/80V	640W/12V 1200W/24V 2400W/48V	CE,ROHS	Lead acid Battery
	LS60A	12V/24V/48V	60A	187*122*57mm	0.57Kg	50V/80V	760W/12V 1520W/24V 2880W/48V	CE,ROHS	


BLS960 Solar Controller




Circuit Protection



Data Display



Double Key Operation







Dual USB Output



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	BLS960-20A	12V/24V	20A	168*42*92mm	0.28Kg	50V	260W/12V 520W/24V	CE,ROHS	Lead acid Battery
	BLS960-30A	12V/24V	30A	168*42*92mm	0.28Kg	50V	390W/12V 780W/24V	CE,ROHS	


BLS Solar Controller




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	BLS-20A	12V/24V	20A	133*70*35mm	0.14Kg	50V	260W/12V 520W/24V	CE,ROHS	Lead acid Battery
	BLS-30A	12V/24V	30A	133*70*35mm	0.14Kg	50V	390W/12V 780W/24V	CE,ROHS	


KYZ Solar Controller




One Click Switch




Memory Function



DC Port



USB Interface




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	KYZ10A	12V/24V	10A	133*70*35mm	0.15Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	KYZ20A	12V/24V	20A	133*70*35mm	0.15Kg	50V	260W/12V 520W/24V	CE,ROHS	
	KYZ30A	12V/24V	30A	133*70*35mm	0.15Kg	50V	390W/12V 780W/24V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries


CPLS Solar Controller




Industrial Chip




Memory Function



Short Circuit Protection



Dual USB Interface




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	CPLS10A	12V/24V	10A	133*70*35mm	0.2Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	CPLS20A	12V/24V	20A	133*70*35mm	0.2Kg	50V	260W/12V 520W/24V	CE,ROHS	
	CPLS30A	12V/24V	30A	133*70*35mm	0.2Kg	50V	390W/12V 780W/24V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries


CPLS Solar Controller




Industrial Chip



Memory Function



Short Circuit Protection



Dual USB Interface




Parameter


PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	CPLS40A	12V/24V	40A	186*90*43mm	0.3Kg	50V	520W/12V 1040W/24V	CE,ROHS	Lead acid Battery LiFePo4 Battery Ternary Lithium Battery
	CPLS50A	12V/24V	50A	186*90*43mm	0.3Kg	50V	650W/12V 1300W/24V	CE,ROHS	
	CPLS60A	12V/24V	60A	186*90*43mm	0.3Kg	50V	780W/12V 1560W/24V	CE,ROHS	

NOTE: It's the parameter when using lead-acid batteries


KLS1830 Solar Controller




Thermal Induction



Data Display



Voltage Identification




Dual USB Output




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	KLS1830	12V/24V	30A	185*93*42mm	0.27Kg	50V	130W/12V 260W/24V	CE,ROHS	Lead acid Battery


CM Solar Controller




Thermal Induction



Large Screen Display



Voltage Identification




Day And Night Mode




Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	CM3024Z	12V/24V/48V	30A	188*93*46mm	0.3Kg	50V/100V	360W/12V 720W/24V 1440W/48V	CE,ROHS	Lead acid Battery
	CM4024Z	12V/24V/48V	40A	188*93*46mm	0.3Kg	50V/100V	480W/12V 960W/24V 1920W/48V	CE,ROHS	


CM Solar Controller




Thermal Induction



Large Screen Display



Voltage Identification





Day And Night Mode



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	CM5024Z	12V/24V/48V	50A	188*131*59mm	0.5Kg	50V/100V	600W/12V 1200W/24V 2400W/48V	CE,ROHS	Lead acid Battery
	CM6024Z	12V/24V/48V	60A	188*131*59mm	0.5Kg	50V/100V	720W/12V 1440W/24V 2880W/48V	CE,ROHS	

HLS Solar Controller



Parameter

PRODUCT	MODEL	VOLTAGE	CURRENT	SIZE	N.W	MAX PV INPUT	RATED CHARGING POWER	CERTIFICATION	SUPPORT BATTERY
PWM SOLAR CONTROLLER	HLS-20A	12V/24V	20A	133*70*35mm	0.14Kg	50V	260W/12V 520W/24V	CE,ROHS	Lead acid Battery
	HLS-30A	12V/24V	30A	133*70*35mm	0.14Kg	50V	390W/12V 780W/24V	CE,ROHS	