


# SPECIFICATION

Product number: EC245AYA540

Product type: Bar display



<b>Checked by</b>	<b>Rechecked by</b>	<b>Approved by</b>
<b>Comments</b>	<b>Approved by</b>	<b>Company's seal</b>
<b>Customer's Name:</b>		

Please send the original back to us after you have approved and signed.

Modify History

<b>Ver.</b>	<b>Page</b>	<b>Revised Descriptions</b>	<b>Date</b>	<b>Revision</b>	<b>Approval</b>
REV.1.0	ALL	TO	2025.05.16		

# Product Parameter:

24.5"		Specifications	Units/Number	Notes
Model				
	Dimension	630(L)*198.8(V)*66(W)	MM	
	Shell material	Black fine sand pattern	-	
	Gross Weight	3	Kg/gross	
Screen Parameters	Display Size	597.6(L)*168(V)	MM	
	Display- resolution	1920*540	Pixel	
	Brightness	350	Cd/m <sup>2</sup>	
	Contrast ratio	3000:1	-	
	Display scale	16:4.5	-	
	Viewing angle	89/89/89/89	-	
	Pixel pitch	0.31125*0.31125	MM	
	Display color	16.7	M	
Electrical	Maximum power	≤35	W	
	Standby power	≤1	W	
	Supply Voltage	5V	V	
	Horn	/	-	
WorkStorage	Operating temperature	0-50	°C	
	Working- humidity	10%~80%	%hr	
	Storage temperature	-20-50	°C	
	Storage Humidity	10%~80%	%hr	
Power interface		DC 12V 5A		

24.5"		Specifications	Units/N umber	Notes
Model				
Functional configuration	<b>CPU</b>	TA40i, quad-core, the highest main frequency is 1.2GHz		
	<b>Operating System</b>	Android 7.1		
	<b>Memory Storage</b>	EMMC is standard with 8G (16/32G optional)		
	<b>built-inROM</b>	2KB EEPROM		
	<b>HDMI Out</b>	1, supports 1080P output		
	<b>HDMI import</b>	/		
	<b>Support Video-Formats</b>	Supports wmv, avi, flv, rm, rmvb,mpeg, ts,mp4, etc		
	<b>Support Image-Formats</b>	Supports BMP, JPEG, PNG, GIF		
	<b>Audio Input/Output</b>	Supports left and right channel output, with built-in dual 4R/20W and 8R/10W power amplifiers		
	<b>Headphone Output</b>	/		
	<b>USB Interface</b>	2 USB HOST, 3 USB ports		
	<b>Serial Port</b>	2 serial TTL sockets, 2 serial RS232 sockets		
	<b>Network Support</b>	4G, Ethernet, support WiFi/ Bluetooth 4.0, wireless peripheral expansion		
	<b>Memory Card</b>	Supports SD cards		
	<b>RTC</b>	Support multi-time timing on and off		
<b>System Upgrade</b>	Support local SD, USB upgrade			

# Product Rendering:

